



241 Molnar Dr Suite A1 | Elmwood Park, NJ 07407 | (201)791-7293

DR.sample 6 State St Paramus, NY 12601 Acct: 3034 Phone: (201) 300-2987 Phys: DR Sample	MRS test DOB: 10/1/1983 Age: 36 Sex: F ID#: Address: 33 Pamela AVE BRONX, NY 10475 Phone: () -	Accession #: 2001023001 Specimen ID: Date Collected: 01/21/20 12:00 Date Received: 01/23/20 14:50 Date of Report: 03/09/20 First Reported: 01/24/20
--	---	--

CLINICAL REPORT

Comments:

Respiratory Pathogen Panel
RESPIRATORY VIRAL PANEL

Test	Result	Abnormal	Reference	Units	Previous Result	Date
RESPIRATORY PATHOGEN PAN			reported: 01/24/20 16:41			
Comment:	See Components					*/
RESP.PATHOGEN PANEL			reported: 01/24/20 16:41			
ADENOVIRUS	NOT DETECTED		NOT DETECTED			*/
INFLUENZA A	NOT DETECTED		NOT DETECTED			*/
INFLUENZA A SUBTYPE H1	NOT DETECTED		NOT DETECTED			*/
INFLUENZA A SUBTYPE H3	NOT DETECTED		NOT DETECTED			*/
INF. A SUBTYPE 2009 H1N1	NOT DETECTED		NOT DETECTED			*/
INFLUENZA B	NOT DETECTED		NOT DETECTED			*/
RESP.SYNCYTIAL VIRUS A	NOT DETECTED		NOT DETECTED			*/
RESP.SYNCYTIAL VIRUS B	NOT DETECTED		NOT DETECTED			*/
PARAINFLUENZA (PIV)1	NOT DETECTED		NOT DETECTED			*/
PARAINFLUENZA (PIV)2	NOT DETECTED		NOT DETECTED			*/
PARAINFLUENZA (PIV)3	NOT DETECTED		NOT DETECTED			*/
PARAINFLUENZA (PIV)4	NOT DETECTED		NOT DETECTED			*/
CORONAVIRUS 229E	NOT DETECTED		NOT DETECTED			*/
CORONAVIRUS OC43	NOT DETECTED		NOT DETECTED			*/
CORONAVIRUS NL63	NOT DETECTED		NOT DETECTED			*/
CORONAVIRUS HKU1	NOT DETECTED		NOT DETECTED			*/
RHINOVIRUS/ENTEROVIRUS	NOT DETECTED		NOT DETECTED			*/
HUMAN METAPNEUMOVIRUS	NOT DETECTED		NOT DETECTED			*/
HUMAN BOCAVIRUS	NOT DETECTED		NOT DETECTED			*/
CHLAMYDOPHILA PNEUMONIAE	NOT DETECTED		reported: 01/24/20 16:41			*/
MYCOPLASMA PNEUMONIAE	NOT DETECTED		reported: 01/24/20 16:41			*/

Test	Result	Abnormal	Reference	Units	Previous Result	Date
COMMENT:	*		reported: 01/24/20 16:41			*/
The respiratory panel is performed at Lincoln Diagnostics LLC using the Luminex NxTAG Respiratory Pathogen Panel (RPP). This panel uses multiplex RT-PCR followed by bead hybridization for detection of amplified targets. Negative results do not rule out the possibility of infection. Results should be interpreted in conjunction with other relevant tests and the (Continued on Next Page)						



241 Molnar Dr Suite A1 | Elmwood Park, NJ 07407 | (201)791-7293

DR.Sample 6 State St Paramus , NY 12601 Acct: 3034 Phone: (201) 300-2987 Phys: SHAMAR WILLIAMS	Mrs tes DOB: 10/1/1983 Age: 36 Sex: F ID#: Address: 33 Pamela AVE BRONX, NY 10475 Phone: () -	Accession #: 2001233003 Specimen ID: Date Collected: 01/21/20 12:00 Date Received: 01/23/20 14:50 Date of Report: 03/09/20 First Reported: 01/24/20
--	--	--

CLINICAL REPORT

Comments:

******* (Continued)**

Test	Result	Abnormal	Reference	Units	Previous Result	Date
	patient's clinical profile. The NxTag RPP is cleared by the Food and Drug Administration for clinical purposes.					
	Reviewed By: Anjali Seth, Ph.D					

END OF REPORT

**1) Unless otherwise noted, Tests Performed at :
 LINCOLN DIAGNOSTICS LLC, Linden, NJ 070369998 CLIA# 31D2118440
 Director : Dr. Martin King (908)583-5421*